

# ISOMAT PU FOAM CLEANER

## Polyurethane foam cleaning agent

| Description  | Remarks  |
|--|--|
| <p>Special cleaning agent with solvents.</p>   | <ul style="list-style-type: none"> <li>• Consult the directions for safe use and precautions written on the package.</li> <li>• Avoid contact of the cleaner with surfaces that are sensitive to solvents, such as painted surfaces, plastics, etc. in order to protect them.</li> </ul>   |
| <p><b>Fields of application</b></p> <p>ISOMAT PU FOAM CLEANER is used for cleaning the foam gun applicator. It is effective as long as the foam is still fresh, uncured.</p>   |  |
| <p><b>Technical data</b></p> <p>Form: liquid<br/>Color: transparent</p>  |  |
| <p><b>Directions for use</b></p> <p>After removing any cured foam in the gun's nozzle, the container of ISOMAT PU FOAM CLEANER is attached to the gun. Pull the trigger several times, so that the cleaning agent enters the gun. Allow it to act for a while, and then pull the trigger again in order to flush out the residue. The gun may be stored with the cleaner can attached to it. If you wish to store the gun without the cleaner can, you have to repeat the cleaning process before you use it again, or before you replace some of the gun's spare parts.</p> |  |
| <p><b>Packaging</b></p> <p>ISOMAT PU FOAM CLEANER is available in 400 ml cans.</p>   |  |
| <p><b>Shelf-life - Storage</b></p> <p>24 months from production date, if stored in cool, well ventilated spaces, protected from sun exposure and high temperatures. Do not expose to temperatures exceeding +50°C and do not store with materials that cause oxidation or corrosion.</p>   | <p><b>ISOMAT S.A.</b><br/>                     BUILDING CHEMICALS AND MORTARS<br/> <b>Thessaloniki:</b> 17th km Thessaloniki - Ag. Athanasios Road, P.O. BOX 1043, 570 03 Ag. Athanasios, Greece, Tel.: +30 2310 576 000, Fax: +30 2310 722 475<br/> <b>Athens:</b> 57th km Athens-Lamia N.R., 32011 Inofita, Greece Tel.: +30 22620 56406 Fax: +30 22620 31644<br/> <b>www.isomat.eu e-mail: info@isomat.eu</b></p> |

The technical information and instructions supplied in this datasheet are based on the knowledge and experience of the Department of Research and Development of our company and on results from long-term applications of the product in practice. The recommendations and suggestions referring to the use of the product are provided without guarantee, since site conditions during the applications are beyond the control of our company. Therefore the user is responsible for confirming that the chosen product is suitable for the envisaged application. The present edition of this technical datasheet automatically cancels any previous one concerning the same product.

